Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1 Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier:

Trade name: SIGA- Majvest

Relevant identified uses of the substance or mixture and uses advised

against:

Application of the substance /

Facade membrane the preparation:

Details of the supplier of the

safety data sheet:

Manufacturer/Supplier: SIGA Cover, Inc.

8001 Irvine Center Drive

Suite 400 Irvine

California 92618

USA

Information department: E-Mail: technics@sigacover.com

Emergency telephone number: Tel. 1-855-733-7442 (while office-time)

2. HAZARDS IDENTIFICATION

Classification of the substance or

mixture:

The product is not classified according to the

Globally Harmonized System (GHS).

Classification according to Directive

67/548/EEC or Directive 1999/45/EC: Not applicable

Information concerning particular

hazards for human and environment: The product does not have to be labelled due to the

calculation procedure of international guidelines.

Classification system: The classification was made according to the latest

editions of international substances lists, and

expanded

upon from company and literature data.

Label elements:

Void GHS label elements:

Void Hazard pictograms:

Signal word: Void

Hazard statements: Void

NFPA ratings (scale 0 - 4):



Health = 0Fire = 1Reactivity = 0

Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1

Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: **Not applicable.**

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description: Flexible composite material made of polypropylene

PP

Dangerous components: Void

4. FIRST AID MEASURES

Description of first aid measures:

General information: No special measures required.

After inhalation: If breathed in, move to fresh air .lf not breathing, give

artifical respiration. Consult a physician.

If affected are exposed to fumes from overheating or

combustion, then bring victim to fresh air.

If breathing is irregular or if respiratory arrest occurs,

then administer artificial respiration.

After skin contact: Do not pull solidified product away from the skin.

When molten polymer applied to the skin, cool

rapidly with water.

Can cause burns. Then medical treatment.

After eye contact: This product is an inert substance. If parts gets into

the eyes, remove as usual for foreign bodies.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects

both acute and delayed:

No further relevant information available.

Indication of any immediate medical

attention and special treatment

needed: No further relevant information available.

SIGA

Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1 Reviewed on: 11/29/2012
Replaces edition of: 10/30/2012

5. FIREFIGHTING MEASURES

Extinguishing media:

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight

larger fires with water spray or alcohol resistant

foam.

Extinguish fire by cooling with water spray.

For safety reasons unsuitable

extinguishing agents:

Water with full jet.

Special hazards arising from the

substance or mixture:

Carbon Monoxide and Carbondioxide

Nitrogen oxides (NOx)

Combustible product, melted in the heat.

Smoke.

Advise for firefighters:

Protective equipment: Condense escaping vapors with water spray.

Additional information: Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting

water in accordance with official regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective

equipment and emergency procedures: Particular danger of slipping from lying foil on the

floor.

Environmental precautions: Do not allow product to reach sewage system or any

water course.

Methods and material for containment

and cleaning up:

Send for recovery or disposal in suitable receptacles.

Pick up mechanically.

Reference to other sections: No dangerous substances are released.

See Section 7 for information on safe handling. See Section 8 for information on personal protection

equipment.

See Section 13 for disposal information.

7. HANDLING AND STORAGE

Precautions for safe handling: Upon heating of the product: Provide adequate

ventilation of the workplace. In certain cases use appropriate local exhaust ventilation at workplace.

Information about protection against

explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities:

Storage:

Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1 Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

Requirements to be met by storerooms

and receptacles:

Store in a cool location.

Storage on pallets in dry and closed rooms with a

solid surface.

Loose roles stacked in containers, racks or secured

by wedges.

Pallets with lying rolls should not be stacked. Products stacked in cardboard boxes up to 5.5 m

height.

Information about storage in one

common storage facility:

Protect from heat and direct sunlight.

Store in dry conditions.

Further information about storage

conditions:

Ambient temperature

Specific end use(s): Transport: On pallets in truck or wagon at ambient

temperature.

Loading and unloading temperature: ambient

temperature

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of

technical systems:

Use appropriate local exhaust ventilation.

Control parameters:

Components with limit values that

require monitoring at the workplace: The product does not contain any relevant quantities

of materials with critical values that have to be

monitored at the workplace.

Additional information: The lists that were valid during the creation were

used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic

measures:

Wash hands before breaks and at the end of work.

Breathing equipment: **Not necessary.**

Eye protection: Face protection

Body protection: Protective work clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Information on basic physical and</u> chemical properties:

General information:

Form: Solid

Color: Blue

Material Safety Data Sheet acc.to ISO/DIS 11014



SIGA-Majvest

Version 2.1 Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

Odor: Odorless

Odour threshold: Not determined

pH-value: Not applicable

Change in condition:

Melting point/Melting range: 329°F (165°C)

Boiling point/Boiling range (°F / °C): Undetermined

Flash point: 626°F (330°C) (DIN 51755)

Flammabiitiy (solid, gaseous) (°F / °C): Not determined

Ignition temperature: >644°F (>340°C) (DIN 51794)

Decomposition temperature: Not determined

Auto igniting: Product is not selfigniting

Danger of explosion: (Vol-%): Product does not present an explosion hazard

Explosion limits: lower: Not determined upper: Not determined

Vapor pressure: (mm Hg / hPa): Not applicable

Density at 68°F (20°C): 7.594-7.928 lbs/gal (0.91-0.95 g/cm³)

Relative density: Not determined

Vapour density: Not applicable

Evaporation rate: Not applicable

Solubility in / Miscibility with

Water: Soluble

Partition coefficient (n-octanol/

water): Not determined

Viscosity:

Dynamic: Not applicable Kinematic: Not applicable

Solvent content:

Organic solvents: 0.0 %

Solids content: 100.0 %

Other information: No further relevant information available.

10. STABILITY AND REACTIVITY

Reactivity:

Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1 Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

Chemical stability:

Thermal decomposition / conditions

to be avoided:

To avoid thermal decomposition do not overheat. No decomposition if used according to specifications. Temperatures > 300 °C and exposure to the sunlight

or UV-light can lead to decomposition of the

polymers.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: Strong oxidizing agent, strong bases.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Acrolein, tetrahydrofuran, aldehydes, ketones.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects: Acute toxicity, Primary irritant effect:

LD/LC50 values that are relevant

for classification:

9003-07-0 Polypropylen: Oral LD50 ca 0.01 lb/lb (ca 5000 mg/kg) (rat)

Primary irritant effect:

on the skin: Contact with the hot product may cause burns.

on the eye: Mechanical irritation by particles.

By inhalation: Low health risk at normal ambient temperatures.

When exposed to high temperatures, it may produce vapors and/or aerosol, which irritate the eyes and

respiratory tract.

Sensitization: No sensitizing effects known.

Additional toxicological

information: The product is not subject to classification according

to internally approved calculation methods for

preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information

provided to us.

NTP (National Toxicology Program): None of the ingredients is listed.

12. ECOLOGICAL INFORMATION

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: Not easily biodegradable

Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1

Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

Replaces edition of 10/30/20

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: Not hazardous for water

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: **Not applicable.**

Other adverse effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Recommendation: Can be reused after reprocessing.

Smaller quantities can be disposed of with

household waste.

Uncleaned packagings:

Recommendation: Disposal must be made according to official

regulations.

14. TRANSPORT INFORMATION

UN-Number:

DOT, ADR, ADN, IMDG, IATA: Void

UN proper shipping name:

DOT, ADR, ADN, IMDG, IATA: Void

Transport hazard class(es):

DOT, ADR, ADN, IMDG, IATA:

Class: Void

Packing group:

DOT, ADR, IMDG, IATA: Void

Special precautions for user: Not applicable.

Transport in bulk according to Annex II

of MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation": -

15. REGULATORY INFORMATION

<u>Safety</u>, health and environmental regulations/legislation specific for the substance or mixture: <u>Sara:</u>

Section 355 (extremely hazardous

substances): None of the ingredient is listed.

SIGA

Material Safety Data Sheet acc.to ISO/DIS 11014

SIGA-Majvest

Version 2.1 Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

Section 313 (Specific toxic chemical

listings): None of the ingredients is listed.

TSCA (Toxic Substances Control Act): 9003-07-0 Polypropylen

471-34-1 CaCO₃ Mixture UV Stabilizer

Mixture Pigment Masterbatch

Proposition 65:

Chemicals known to cause cancer: None of the ingredients is listed.

Chemicals known to cause

reproductive toxicity for females: None of the ingredients is listed.

Chemicals known to cause

reproductive toxicity for males: None of the ingredients is listed.

Chemicals known to cause

developmental toxicity: None of the ingredients is listed.

<u>Cancerogenity categories:</u> EPA (Environmental Protection

Agency): None of the ingredients is listed.

TLV (Threshold Limit Value

established by ACGIH): None of the ingredients is listed.

NIOSH-Ca (National Institute for

Occupational Safety and Health): None of the ingredients is listed.

OSHA-Ca (Occupational Safety &

Health Administration): None of the ingredients is listed.

Canadian substance listings:

Canadian Domestic Substances List

(DSL):

9003-07-0 Polypropylen

471-34-1 CaCO₃

Mixture UV Stabilizer

Mixture Pigment Masterbatch

Canadian Ingredient Disclosure list

(limit 0.1%):

None of the ingredients is listed.

Canadian Ingredient Disclosure list

(limit 1%):

None of the ingredients is listed.

GHS label elements: Void

Hazard pictograms: Void

Signal word: Void

Hazard statements: Void

Chemical safety assessment: A Chemical Safety Assessment has not been carried

out.

Material Safety Data Sheet acc.to ISO/DIS 11014



SIGA-Majvest

Version 2.1

Reviewed on: 11/29/2012 Replaces edition of: 10/30/2012

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing MSDS: product safety departement

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.